

PHP Version 5.2.9-2

System	Windows NT DPANCZAK 5.1 build 2600
Build Date	Apr 9 2009 08:22:37
Configure Command	cscript /nologo configure.js "--enable-snapshot-build" "--enable-debug-pack" "--with-snapshot-template=d:\php-sdk\snap_5_2\vc6\x86\template" "--with-php-build=d:\php-sdk\snap_5_2\vc6\x86\php_build" "--with-pdo-oci=D:\php-sdk\oracle\instantclient10\sdk,shared" "--with-oci8=D:\php-sdk\oracle\instantclient10\sdk,shared"
Server API	Apache 2.0 Handler
Virtual Directory Support	enabled
Configuration File (php.ini) Path	C:\WINDOWS
Loaded Configuration File	D:\wamp\bin\apache\Apache2.2.11\bin\php.ini
Scan this dir for additional .ini files	(none)
additional .ini files parsed	(none)
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	enabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	php, file, data, http, ftp, compress.zlib, https, ftps, zip
Registered Stream Socket Transports	tcp, udp, ssl, sslv3, sslv2, tls
Registered Stream Filters	convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, zlib.*

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.2.0, Copyright (c) 1998-2009 Zend Technologies
 with Xdebug v2.0.3, Copyright (c) 2002-2007, by Derick Rethans

**PHP Credits****Configuration****PHP Core**

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off

auto_append_file	no value	no value
auto_globals_jit	On	On
auto_prepend_file	no value	no value
browscap	no value	no value
default_charset	no value	no value
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	no value	no value
disable_functions	no value	no value
display_errors	On	On
display_startup_errors	Off	Off
doc_root	no value	no value
docref_ext	no value	no value
docref_root	no value	no value
enable_dl	On	On
error_append_string	no value	no value
error_log	d:/wamp/logs/php_error.log	d:/wamp/logs/php_error.log
error_prepend_string	no value	no value
error_reporting	6143	6143
expose_php	On	On
extension_dir	d:/wamp/bin/php/php5.2.9-2/ext/	d:/wamp/bin/php/php5.2.9-2/ext/
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	.;d:\wamp\tools\wso2-wsf-php-bin-2.0.0-win32\scripts	.;d:\wamp\tools\wso2-wsf-php-bin-2.0.0-win32\scripts
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	no value	no value
max_execution_time	30	30
max_input_nesting_level	64	64
max_input_time	60	60
memory_limit	128M	128M
open_basedir	no value	no value
output_buffering	1	1
output_handler	no value	no value
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off

register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	you@yourdomain	you@yourdomain
sendmail_path	<i>no value</i>	<i>no value</i>
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	d:/wamp/tmp	d:/wamp/tmp
user_dir	<i>no value</i>	<i>no value</i>
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

apache2handler

Apache Version	Apache/2.2.11 (Win32) mod_ssl/2.2.11 OpenSSL/0.9.8k PHP/5.2.9-2
Apache API Version	20051115
Server Administrator	admin@localhost
Hostname:Port	localhost:80
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 5
Virtual Server	No
Server Root	D:/wamp/bin/apache/Apache2.2.11
Loaded Modules	core mod_win32 mpm_winnt http_core mod_so mod_actions mod_alias mod_asis mod_auth_basic mod_authn_default mod_authn_file mod_authz_default mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_dir mod_env mod_include mod_isapi mod_log_config mod_mime mod_negotiation mod_setenvif mod_ssl mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	dpanczak

HTTP_USER_AGENT	Mozilla/5.0 (Windows; U; Windows NT 5.1; pl; rv:1.9.1.6) Gecko/20091201 Firefox/3.5.6 (.NET CLR 3.5.30729)
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	pl,en-us;q=0.7,en;q=0.3
HTTP_ACCEPT_ENCODING	gzip,deflate
HTTP_ACCEPT_CHARSET	ISO-8859-2,utf-8;q=0.7,*;q=0.7
HTTP_KEEP_ALIVE	300
HTTP_CONNECTION	keep-alive
PATH	C:\oracle\product\10.2.0\client_1;C:\orant\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\Program Files\TortoiseSVN\bin;c:\Program Files\Microsoft SQL Server\90\Tools\bin\;C:\Program Files\VisualSVN\bin;C:\Program Files\QuickTime\QTSystem\;d:\wamp\tools\wsfdepends\iconv-1.9.2.win32\bin;d:\wamp\tools\wsfdepends\libxml2-2.7.3.win32\bin;d:\wamp\tools\wsfdepends\openssl-0.9.8.e\bin;d:\wamp\tools\wsfdepends\zlib-1.2.3.win32\bin;d:\wamp\tools\wsf\so2-wsf-php-bin-2.0.0-win32\wsf_c\lib;C:\WINDOWS\system32\WindowsPowerShell\v1.0;C:\orant\jdk\bin
SystemRoot	C:\WINDOWS
COMSPEC	C:\WINDOWS\system32\cmd.exe
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.PSC1
WINDIR	C:\WINDOWS
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache/2.2.11 (Win32) mod_ssl/2.2.11 OpenSSL/0.9.8k PHP/5.2.9-2
SERVER_NAME	dpanczak
SERVER_ADDR	192.168.1.178
SERVER_PORT	80
REMOTE_ADDR	192.168.1.167
DOCUMENT_ROOT	D:/wamp/www/
SERVER_ADMIN	admin@localhost
SCRIPT_FILENAME	D:/wamp/www/index.php
REMOTE_PORT	4049
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	phpinfo=1
REQUEST_URI	/?phpinfo=1
SCRIPT_NAME	/index.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /?phpinfo=1 HTTP/1.1
Host	dpanczak
User-Agent	Mozilla/5.0 (Windows; U; Windows NT 5.1; pl; rv:1.9.1.6) Gecko/20091201 Firefox/3.5.6 (.NET CLR 3.5.30729)
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	pl,en-us;q=0.7,en;q=0.3
Accept-Encoding	gzip,deflate
Accept-Charset	ISO-8859-2,utf-8;q=0.7,*;q=0.7
Keep-Alive	300
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.2.9-2

bcmath

BCMath support	enabled
----------------	---------

calendar

Calendar support	enabled
------------------	---------

com_dotnet

COM support	enabled
DCOM support	disabled
.Net support	enabled

Directive	Local Value	Master Value
com.allow_dcom	0	0
com.autoregister_casesensitive	1	1
com.autoregister_typelib	0	0
com.autoregister_verbose	0	0
com.code_page	<i>no value</i>	<i>no value</i>
com.typelib_file	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
-----------------	---------

date

date/time support	enabled
"Olson" Timezone Database Version	2009.1
Timezone Database	internal
Default timezone	Europe/Paris

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.3
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.45 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.1.9
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	"libiconv"
iconv library version	1.11

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2004
SSL Support	enabled

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Version	2.7.3
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.51a

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited

mysql.trace_mode	Off	Off
------------------	-----	-----

mysql

Mysql Support	enabled
Client API library version	5.0.51a
Client API header version	5.0.51a
MYSQLI_SOCKET	/tmp/mysql.sock

Directive	Local Value	Master Value
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_port	3306	3306
mysql.default_pw	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.reconnect	Off	Off

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	Win32

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8k 25 Mar 2009

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.8 2008-09-05

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite

pdo_mysql

PDO Driver for MySQL, client library version	5.0.51a
---	----------------

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	1.0.1 \$Id: pdo_sqlite.c,v 1.10.2.6.2.4 2008/12/31 11:17:42 sebastian Exp \$
SQLite Library	3.3.7undefined

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c,v 1.164.2.33.2.55 2008/12/31 11:17:42 sebastian Exp \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	d:/wamp/tmp	d:/wamp/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off

session.use_trans_sid	0	0
-----------------------	---	---

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.46 \$
Schema support	enabled

snmp

UCD-SNMP Support	enabled
UCD-SNMP Version	ucd-snmp-4.2.3

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Internal Sendmail Support for Windows	enabled

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60

safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xdebug

xdebug support	enabled
Version	2.0.3

Supported protocols	Revision
DBGp - Common DeBuGger Protocol	\$Revision: 1.125.2.4 \$
GDB - GNU Debugger protocol	\$Revision: 1.87 \$
PHP3 - PHP 3 Debugger protocol	\$Revision: 1.22 \$

Directive	Local Value	Master Value
xdebug.auto_trace	Off	Off
xdebug.collect_includes	On	On
xdebug.collect_params	0	0
xdebug.collect_return	Off	Off
xdebug.collect_vars	Off	Off
xdebug.default_enable	On	On
xdebug.dump.COOKIE	<i>no value</i>	<i>no value</i>
xdebug.dump.ENV	<i>no value</i>	<i>no value</i>
xdebug.dump.FILES	<i>no value</i>	<i>no value</i>
xdebug.dump.GET	<i>no value</i>	<i>no value</i>
xdebug.dump.POST	<i>no value</i>	<i>no value</i>
xdebug.dump.REQUEST	<i>no value</i>	<i>no value</i>
xdebug.dump.SERVER	<i>no value</i>	<i>no value</i>
xdebug.dump.SESSION	<i>no value</i>	<i>no value</i>
xdebug.dump_globals	On	On
xdebug.dump_once	On	On
xdebug.dump_undefined	Off	Off
xdebug.extended_info	On	On
xdebug.idekey	<i>no value</i>	<i>no value</i>
xdebug.manual_url	http://www.php.net	http://www.php.net
xdebug.max_nesting_level	100	100
xdebug.profiler_aggregate	Off	Off
xdebug.profiler_append	Off	Off
xdebug.profiler_enable	Off	Off
xdebug.profiler_enable_trigger	Off	Off
xdebug.profiler_output_dir	/tmp	/tmp

xdebug.profiler_output_name	cachegrind.out.%p	cachegrind.out.%p
xdebug.remote_autostart	Off	Off
xdebug.remote_enable	On	On
xdebug.remote_handler	dbgp	dbgp
xdebug.remote_host	localhost	localhost
xdebug.remote_log	<i>no value</i>	<i>no value</i>
xdebug.remote_mode	req	req
xdebug.remote_port	9000	9000
xdebug.show_exception_trace	Off	Off
xdebug.show_local_vars	Off	Off
xdebug.show_mem_delta	Off	Off
xdebug.trace_format	0	0
xdebug.trace_options	0	0
xdebug.trace_output_dir	/tmp	/tmp
xdebug.trace_output_name	trace.%c	trace.%c
xdebug.var_display_max_children	128	128
xdebug.var_display_max_data	512	512
xdebug.var_display_max_depth	3	3

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.3

xmlreader

XMLReader	enabled
-----------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.23
libxslt compiled against libxml Version	2.6.32
EXSLT	enabled
libexslt Version	0.8.13

zip

Zip	enabled
Extension Version	\$Id: php_zip.c,v 1.1.2.49 2009/02/05 19:53:22 pajoye Exp \$
Zip version	1.8.11
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
ALLUSERSPROFILE	C:\Documents and Settings\All Users
CLASSPATH	.;C:\Program Files\Java\jre6\lib\ext\QTJava.zip
CommonProgramFiles	C:\Program Files\Common Files
COMPUTERNAME	DPANCZAK
ComSpec	C:\WINDOWS\system32\cmd.exe
FP_NO_HOST_CHECK	NO
NUMBER_OF_PROCESSORS	2
OPENSSL_CONF	C:\OpenSSL\bin\openssl.cfg
OS	Windows_NT
Path	C:\oracle\product\10.2.0\client_1;C:\orant\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\Program Files\TortoiseSVN\bin;c:\Program Files\Microsoft SQL Server\90\Tools\bin\;C:\Program Files\VisualSVN\bin;C:\Program Files\QuickTime\QTSystem\;d:\wamp\tools\wsf\depends\iconv-1.9.2.win32\bin;d:\wamp\tools\wsf\depends\libxml2-2.7.3.win32\bin;d:\wamp\tools\wsf\depends\openssl-0.9.8.e\bin;d:\wamp\tools\wsf\depends\zlib-1.2.3.win32\bin;d:\wamp\tools\wsf\wso2-wsf-php-bin-2.0.0-win32\wsf_c\lib;C:\WINDOWS\system32\WindowsPowerShell\v1.0;C:\orant\jdk\bin
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.PSC1
PROCESSOR_ARCHITECTURE	x86
PROCESSOR_IDENTIFIER	x86 Family 6 Model 23 Stepping 6, GenuineIntel
PROCESSOR_LEVEL	6
PROCESSOR_REVISION	1706
ProgramFiles	C:\Program Files
PSModulePath	C:\WINDOWS\system32\WindowsPowerShell\v1.0\Modules\
QTJAVA	C:\Program Files\Java\jre6\lib\ext\QTJava.zip
SystemDrive	C:
SystemRoot	C:\WINDOWS
TEMP	C:\WINDOWS\TEMP

TMP	C:\WINDOWS\TEMP
USERPROFILE	C:\Documents and Settings\LocalService
VS90COMNTOOLS	c:\Program Files\Microsoft Visual Studio 9.0\Common7\Tools\
windir	C:\WINDOWS
AP_PARENT_PID	516

PHP Variables

Variable	Value
_REQUEST["phpinfo"]	1
_GET["phpinfo"]	1
_SERVER["HTTP_HOST"]	dpanczak
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows; U; Windows NT 5.1; pl; rv:1.9.1.6) Gecko/20091201 Firefox/3.5.6 (.NET CLR 3.5.30729)
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	pl,en-us;q=0.7,en;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-2,utf-8;q=0.7,*;q=0.7
_SERVER["HTTP_KEEP_ALIVE"]	300
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	C:\oracle\product\10.2.0\client_1;C:\orant\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\Program Files\TortoiseSVN\bin;c:\Program Files\Microsoft SQL Server\90\Tools\bin;c:\Program Files\VisualSVN\bin;C:\Program Files\QuickTime\QTSystem\;d:\wamp\tools\wsf\depends\iconv-1.9.2.win32\bin;d:\wamp\tools\wsf\depends\libxml2-2.7.3.win32\bin;d:\wamp\tools\wsf\depends\openssl-0.9.8.e\bin;d:\wamp\tools\wsf\depends\zlib-1.2.3.win32\bin;d:\wamp\tools\wsf\wso2-wsf-php-bin-2.0.0-win32\wsf_c\lib;C:\WINDOWS\system32\WindowsPowerShellv1.0;C:\orant\jdk\bin
_SERVER["SystemRoot"]	C:\WINDOWS
_SERVER["COMSPEC"]	C:\WINDOWS\system32\cmd.exe
_SERVER["PATHEXT"]	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.PSC1
_SERVER["WINDIR"]	C:\WINDOWS
_SERVER["SERVER_SIGNATURE"]	<i>no value</i>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.11 (Win32) mod_ssl/2.2.11 OpenSSL/0.9.8k PHP/5.2.9-2
_SERVER["SERVER_NAME"]	dpanczak
_SERVER["SERVER_ADDR"]	192.168.1.178
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	192.168.1.167
_SERVER["DOCUMENT_ROOT"]	D:/wamp/www/
_SERVER["SERVER_ADMIN"]	admin@localhost
_SERVER["SCRIPT_FILENAME"]	D:/wamp/www/index.php
_SERVER["REMOTE_PORT"]	4049
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	phpinfo=1
_SERVER["REQUEST_URI"]	/?phpinfo=1
_SERVER["SCRIPT_NAME"]	/index.php
_SERVER["PHP_SELF"]	/index.php
_SERVER["REQUEST_TIME"]	1261494156

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.